

The Nakul is Esthetica's premium foot reflexology sofa — designed for pedicure and foot massage treatments in luxury spas and wellness facilities. Built on a powder-coated mild steel and plywood frame, it delivers a plush, deeply comfortable seating experience that keeps guests at ease throughout even extended sessions. The electronically controlled backrest reclines and inclines smoothly via a 6000N Dewert Okin actuator, adjustable at the touch of a button through a handheld remote — allowing guests to find their perfect position without any disruption to the treatment. Generously cushioned with 32 density soft foam and siliconised polyfill fibre, and supplied with 2 ottomans for therapist comfort and foot positioning, the Nakul is as considered in its functionality as it is in its comfort.



KEY FEATURES



Electronically Controlled Backrest

The Nakul's backrest is electronically controlled via a Dewert Okin 6000N actuator, adjustable through a handheld remote — allowing guests to recline or incline smoothly to their preferred position without any disruption to the treatment in progress.

32 Density Soft Foam with Siliconised Polyfill Fibre

The Nakul is cushioned with 32 density soft foam combined with siliconised polyfill fibre — delivering a plush, supportive seating experience that keeps guests in comfort throughout extended pedicure and foot massage sessions.

2 Ottomans Included

The Nakul comes supplied with two ottomans, giving therapists the flexibility to position and support the guest's feet precisely — ensuring an ergonomic, unobstructed working position across all foot care treatments.

Phthalate-Free Upholstery

The Nakul is upholstered in phthalate-free fabric designed for professional spa environments — safe, durable, and built for the demands of daily commercial use, with antibacterial, fire retardant, and stain resistant properties as standard.

FEATURES

Backrest	Electronically Recline & Incline
Armrest	Wooden Armrest and Wooden Base
Seat	Detachable Cushion
Foam Cushion	32 Density Soft Foam with Siliconised polyfill Fiber
Motor	Dewert Okin 6000N Actuator
Additional	2 Ottomans Included
	Siliconised Polyfill and foam cushioning for maximum guest comfort

TECHNICAL SPECIFICATIONS

Length	1210 mm / 47.6 in
Width	850 mm / 33.4 in
Height	980 mm / 38.5 in

ELECTRICAL PARAMETERS

Power in (Mains Power Supply)	100–240V, 50–60Hz, 3A
IPX Rating	IPX6
Operating Temperature	10–40°C
Shock Protection:	Class I

BASE & FRAME

Base	Powder-Coated Mild Steel & Plywood Frame
Load Bearing capacity	150 kgs

SAFETY STANDARDS

General Safety Standards	IEC 60601-1
EMI/EMC	IEC 60601-2


UPHOLSTERY

Type	Phthalate-Free Upholstery
Thickness	1.01 mm
Tensile Strength	ISO 1421, 804 N/ 5 cm
Colour Options	Cream, Beige, Mouse Grey, Brown
Weight	732 g / sqmt
Abrasion	ISO 5470-2 = 2,00,000 cycles / min


WARRANTY

Motors	2 years
Frame	5 years


TECHNICAL DRAWINGS



FRONT VIEW



TOP VIEW



SIDE VIEW

ALL DIMENSIONS ARE IN MM

PHTHALATE-FREE UPHOLSTERY



Cream



Beige



Brown



Mouse Grey