

The Tejas is Esthetica's premium four-motor electric treatment table, crafted from natural wood and wood veneer for hotel spas and resort wellness environments. Electronic adjustments for the backrest, legrest, height, Trendelenburg, and reverse Trendelenburg put complete control at the therapist's fingertips. Lockable gas spring armrests and a clean, open base design give the Tejas a warmth and understated elegance that feels entirely at home in a luxury spa setting — without compromising on the functionality that demanding spa environments require.



KEY FEATURES



Lockable Gas Spring Armrests

The Tejas's lockable gas spring armrests can be adjusted and secured at the therapist's preferred position, providing stability and unrestricted access during treatment while ensuring guests remain comfortable throughout.

Programmable Handset with Reset

The Tejas's programmable handset stores therapist-defined positions that can be recalled with a single touch — and reset instantly when needed — saving time between treatments and allowing therapists to maintain consistency across every session.

Open Base Design

The Tejas's clean, open base crafted from natural wood and wood veneer brings a distinctive warmth to the treatment room, setting it apart from conventional spa tables and elevating the aesthetic of any luxury spa environment.

Veridura Phthalate-Free Upholstery

The Tejas is available in Veridura Phthalate-Free Upholstery, designed for professional spa environments, offering a safer surface for both clients and therapists. It resists stains, acetone, and disinfectants, withstands frequent cleaning, and ensures durable, fire- and abrasion-resistant performance.

FEATURES

Armrests
Backrest
Legrest
Height
Trendelenburg Operation
Foam Cushion
Optional

Programable Handset

Lockable Gas Springs
Electronically Adjustable
Electronically Adjustable
Electronically Adjustable
Electronically adjustable trendelenburg and reverse trendelenburg
150 mm mixed layer of different densities for comfortable massage experience
IVC Heating Technology



TECHNICAL SPECIFICATIONS

Length 1990 mm / 78.3 in
Width 810 mm / 31.8 in
Minimum height 620 mm / 24.4 in
Maximum height 1000 mm / 39.3 in
Tilt angle 13°

ELECTRICAL PARAMETERS

Power in (Mains Power Supply) 100–240V, 50–60Hz, 3A
IPX Rating IPX6
Operating Temperature 10–40°C
Shock Protection: Class I

BASE & FRAME

Base Powder-coated mild steel frame
Safe Working Load 250 kgs
Load Bearing capacity 180 kgs

SAFETY STANDARDS


General Safety Standards IEC 60601-1
EMI/EMC IEC 60601-2

UPHOLSTERY

Type Veridura Phthalate-Free Upholstery
Thickness 1 mm
Tensile Strength ISO 1421, 869.22 N/ 5 cm
Colour Options Cream, Beige, Mouse Grey, Brown, Charcoal Grey
Weight 726.7 g / sqmt
Abrasion ISO 5470-2 = 2,00,000 cycles / min







WARRANTY

Motors 2 years
Frame 5 years




HANDSET

TECHNICAL DRAWINGS




ALL DIMENSIONS ARE IN MM

WOOD FINISH OPTIONS



American Oak
Dark Walnut




American Oak
Wenge



American Oak
Yellow Teak




American Oak
White Wash Finish



American Oak
Water Base



American Oak
PU Finish



American Oak
Open Pore Black




American Oak
Open Pore White


VERIDURA PHTHALATE-FREE UPHOLSTERY



Cream




Beige



Mouse Grey



Brown



Charcoal Grey



Phthalate-Free



Fire Retardant



Oil Resistant



Alcohol Resistant



Ultra Soft



Stain Resistant



Anti Bacterial



Eco - Friendly